

**TEST REPORT No.: Ł/0/09/2023/3055/FM/C/1/EN/P/1**
**Customer:**
**Order No.:** Ł/0/09/2023/3055

A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).

AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).

MON - methodology accredited in terms of "OIB"

GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)

A/P - accredited methodology of the subcontractor

P - non-accredited methodology of the subcontractor

Material/product tested:		Dietary supplements						
Sample collection address:								
Product name:		CurcuVita					Date*: 28.09.2023	
Producer:		LABS212 Sp. z o. o						
Date of production:		no data; best before end: 08-2025						
Lot number:		14030						
Samples collected according to:						Sample receiver: GBA POLSKA employee no.: 2144		
Samples transported by: Shipping								
Sample no.:	47781/09/23	Sample evaluation:	unreservedly	Analysis start date:	29-09-2023	Analysis end date:	12-10-2023	
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Total microbial count	cfu/g	AE	PN-EN ISO 4833-1:2013-12, PN-EN ISO 4833-1:2013-12/Ap1:2016-11, PN-EN ISO 4833-1:2013-12	≤1.0x10 <sup>4</sup> cfu/g, Client's requirements	<1,0 x 10 <sup>4</sup>		
Ł	Presence of presumptive Escherichia coli	1g	AE	PN-ISO 7251:2006	absent in 1g, Client Requirements	absent in 1g		
Ł	Presence of Salmonella spp.	25g	AE	PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09	absent in 25g, Client's Requirements	not detected in 25g		
Ł	Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species)	1g	AE	PN-EN ISO 6888-3:2004, PN-EN ISO 6888-3:2004/AC:2005	absent in 1g, Client Requirements	absent in 1g		
Ł	Count of yeasts and moulds	cfu/g	AE	PN-ISO 7954:1999	≤1.0x10 <sup>2</sup> cfu/g, Client's requirements	<1,0 x 10 <sup>1</sup>		
Ł	Gluten as an allergen	mg/kg	AE	PB-259/LF, ed. 3 of 03.01.2022	≤ 20 ; mg/kg ; Commission Regulation (EU) No. 828/2014 of July 30, 2014	6,1	+/-1,8	
Ł	Cadmium	mg/kg	AE	PN-EN 15763:2010	≤ 1 ; mg/kg ; Commission Regulation (EU) 2023/915 of April 25, 2023	0,002		

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Lead	mg/kg	AE	PN-EN 15763:2010	≤ 3 ; mg/kg ; Commission Regulation (EU) 2023/915 of April 25, 2023	< 0,010		
Ł	Mercury	mg/kg	AE	PN-EN 15763:2010	≤ 0.1 ; mg/kg ; Commission Regulation (EU) 2023/915 of April 25, 2023	0,006	+/-0,001	
Ł	Arsenic	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,010		
Ł	Content of Echimidine and Heliosupine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Erucifoline	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Europine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Heliotrine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Intermedine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Jacobine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Lasiocarpine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Lycopsamine and Indicine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Monocrotaline	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Echimidine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Erucifoline-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of Europine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Heliosupine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Heliotrine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Intermedine-N-oxide, Indicine-N-oxide, Echinatine-N-oxide and Rinderine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Jacobine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Lasiocarpine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Lycopsamine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Monocrotalin-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Retrorsine-N-oxide and Usaramine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Senecionine-N-oxide, Integerrimine-N-oxide and Senecivermine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Seneciphylline-N-oxide and Spartioidine-N-oxide	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Retrorsine and Usaramine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Rinderine and Echinatine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Seneciphylline and Spartioidine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of Senecivermine, Integerrimine and Senecionine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Senkirkine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Trichodesmine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Pyrrolizidine alkaloids content (total) (BfR 28)	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Pyrrolizidine alkaloids content (total) (Commission Regulation (EU) 2023/915)	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	≤ 400 ; µg/kg ; Commission Regulation (EU) 2023/915 of April 25, 2023	< 1,0		
Ł	Content of Atropine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Content of Scopolamine	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		
Ł	Tropane alkaloids content (total)	µg/kg	A	PB-310/LF ed. 1 of 14.12.2022	no requirements	< 1,0		

Date\* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).  
\*\* - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.  
The results relate to the tested samples (sampled or received - as reported in the test report).  
In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.  
The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.  
Customer may file complains within 14 days from receiving the report.  
The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.  
Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

#### Remarks:

Results comply with the limits in the Specification.


The second selective medium for detecting the presence of Salmonella spp. in accordance with PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09 is RVS broth and Brilliance Salmonella/Agar. Braid Parker RPF/agar was used for the detection of coagulase-positive staphylococci.

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy

The end of the Report

Original of PDF: Customer, copy of PDF to: Laboratory archive

<b>Created on:</b> 13-10-2023	<b>Authorized by:</b> GBA POLSKA employee no.: 2144 GBA POLSKA employee no.: 2244 GBA POLSKA employee no.: 2420 GBA POLSKA employee no.: 2486 GBA POLSKA employee no.: 2651	<b>Approved by:</b> GBA POLSKA employee no.: 2653	<b>Signed with a qualified electronic signature</b> 
----------------------------------	--	---	--